

PRODUCT INFORMATION



PERFORMANCE MINERALS®

ZINPRO® 120

For use only in Canada


ZINC METHIONINE COMPLEX

A nutritional feed ingredient for livestock and poultry. When used as a commercial feed ingredient it must be declared as zinc methionine complex. Association of American Feed Control Officials (AAFCO) No. 57.151. International Feed Number (IFN) 6-16-293. Zinc Methionine Complex. U.S. Patent No. 4,764,633 and 5,430,164. Canada Reg. No. 983342.

TYPICAL ANALYSIS

Zinc 12.0%
Methionine 27.3%

MOLECULAR STRUCTURE



PHYSICAL DESCRIPTION

A light brown granular powder with characteristic methionine-like odor. ZINPRO® 120 weighs approximately 35 lb/cu. ft. and is packaged in 25 kg (55.1 lb) multiwall bags.

FEEDING INSTRUCTIONS

SWINE*: Add 378 grams per US ton (or 417 grams per metric ton) of complete diet.

LAYING HENS, BROILERS AND TURKEYS: Add 302 grams per US ton (or 333 grams per metric ton) of complete diet.

DAIRY CATTLE: Feed 3.0 grams per head daily.

BEEF CATTLE: Feed 3.0 grams per head daily.

HORSES: Feed 3.0 grams per head daily.

SHEEP*: Feed 0.33 grams per head daily.

GOATS*: Feed 0.4 grams per head daily.

* Double recommended levels during periods of reduced feed intake, or high production stress.

TOXICITY AND SAFE HANDLING

When correctly used, there is no toxicity hazard in the use of ZINPRO 120. Store in a clean and dry environment. Follow label directions and rotate inventory to ensure fresh product.